

ADVANCE81 S1P

Product Reference Advance81



ENISO20345:2011 S1P SRC

Sizes 37-48

Weight (s. 41) 691 gr.



Model description: leather shoe, black , Nylon mesh lining, antistatic, puncture resistant steel sole, shock proof, slip resistant, steel toecap, S1P PU/RUBBER outsole.

Application areas: Manufacturing.

Precaution and maintenance of the shoe: To extend the life of your shoes, we recommend to clean them regularly and to protect them with adequate products. Do not dry your shoes on a radiator, nor nearby a heat source.

		Description	Measure Unit	Result	EN ISO 20345:2011 required
Complete shoe	Protection of toes: metal toecap resistant to: A shock of 200 J Pressure of 1500 kg Sole: metal resistant to 1100N	Impact resistance (Clearance after shock)	Mm	14.5-15.5	>14
		Compressive strength (after clearance compression)	Mm	18.5-19.5	14
	Anti-shock system: Low-Density polyurethane and profile of the heel	Shock absorption in heel	J	27-28	>20
Upper	leather, black (Groove Titan/SJ Carbon)	Permeability to water vapor	Mg/m2 hour	2.5/2.3	>0,8
	Thickness 1,6mm	Permeability coefficient	Mg/cm2	27.4/21.1	>20
		Water repellent	Minute	n/a	<60
Front	Thickness 1,2mm	Permeability coefficient	Mg/cm2	316.9	>30
Lining	Nylon mesh black	Permeability to water vapor	Mg/cm2 hour	51.9	>2
Back	Thickness 1,0mm	Permeability coefficient	Mg/cm2	415.5	>30
Insole	Antistatic, absorbent, resistant to abrasion and to exfoliation	Abrasion resistance	Cycles	PASS	>400
Outsole	Antistatic polyurethane and rubber	Abrasion resistance (volume loss)	Mm3	138.2	<150
	Shock Absorption, anti-slip, abrasion resistant, mineral oils and weak acids	Oil resistance (volume variation AV)	%	+6.28%	<+12
		Slip resistance ceramic plate	Heel: Flat:	0.39 0.37	Heel 0.28 Flat 0.32
		Slip resistance steel plate	Heel: Flat:	0.45 0.51	Heel 0.13 Flat 0.18

Our shoes are constantly evolving, the technical data above may change.

All product names and brand Safety Jogger, are registered and may not be used or reproduced in any format, without written consent from us.